

Lifter
Easy line
THE EASY WAY TO MOVE
MATERIAL HANDLING EQUIPMENT



Discover your Easy Solution for everyday Material Handling operations.

The Lifter Easy Line range is designed for those seeking user-friendly products for everyday operations, without compromising ergonomics, reliability, and quality.

Lifter Easy Line products minimise effort and facilitate daily operations thanks to the **ergonomic** design.

All our products are **user-friendly** and easy to drive thanks to their intuitive controls and compact dimensions, which allow to work in confined spaces.

We aim to deliver **quality** and customer satisfaction through products that ensure excellent reliability and durability.

Easy line

THE EASY WAY TO MOVE

Easy Line elevates your material handling to new heights with ergonomic, user-friendly and quality granted by Lifter range of products.

We are committed to providing advantageous solutions that integrate seamlessly into your operations, offering great performance, reliability and ease of use. Our mission is to always provide the perfect products that support and simplify the daily work of the end customer.

We are dedicated to delivering quality, customer satisfaction, and a workplace that values ergonomics, setting new industry standards one
'**Easy Line**' at a time.





ELECTRIC PALLET TRUCK

The Easy Line pallet truck is easy to drive thanks to its intuitive controls and compact dimensions, which allows you to work in confined spaces.

Thanks to the powerful drive system, the EY can easily carry loads up to 1.5 ton or 2 ton and reach 4.5 km/h max speed. The anti-sliding slope design enables an easy parking on slopes, preventing accidental backing of the machine. The truck offers a high level of stability, and is equipped with unique maintenance-free brushless DC motor.

The lithium battery requires no maintenance and has a long life. Thanks to the Plug-in&out system it is possible to replace it in a few seconds without using cables. The pallet truck can also be equipped with a second additional battery, allowing continuous and non-stop work.

FORKS MEASURES AVAILABLE:
Lenght:
EY20: L 1000/1150/1220
EY15: L 1000/1150/1220/1300/1500/1800
L 2000 (for this forks lenght Load Capacity is reduced)

WIDTH: 550/685

The EY Scale version will be available soon



EY15L
EY20L

	EY15L	EY20L
Load capacity [Kg]	1500	2000
L2 [mm]	400	400
Lift height [mm]	200	200
Aisle width (EPAL) [mm]	2024	2024
Max Speed [km/h]	4.5	4.5
MAX gradeability laden/unladen	6/20%	6/20%
Motor type	DC - Brushless	DC - Brushless
Type of Battery	Lithium	Lithium
Battery voltage [V]	48	48
Battery nominal capacity [Ah]	10	15
Charger specs [A]	2	5


ERGONOMIC

USER- FRIENDLY

POWERFUL



LATERAL STABILIZER WHEELS OPTIONAL



SCALE PALLET TRUCK

The PY20 scale pallet truck is the easy-to-use solution for everyday weighing needs.
Thanks to its four robust load cells, this scale pallet truck delivers accurate weighing results.

The large display has simple and intuitive settings and allows easy reading of both gross and net weights.
It offers several weighing functions, including tare, totalisation, and an automatic power-off function to save energy as well as extend battery life. The hold function allows you to keep the weight value displayed.

Powered by an internal rechargeable battery, it is equipped with an external charger as standard.



PY20


	PY20
Load capacity [Kg]	2000
L2 [mm]	410
Lift height [mm]	120
Aisle width (EPAL) [mm]	1678
Loads cells [n.]	4
Accuracy [%]	0.1
Division [kg]	0.5
Battery voltage [V]	6
Battery nominal capacity [Ah]	4
Type of wheels	Polyurethane
Type of rollers	Polyurethane

RECHARGEABLE

USER- FRIENDLY

ACCURATE





MANUAL SCISSOR LIFT PALLET TRUCK

The HY Easy Line Manual Scissor Lift is a versatile tool that combines the functionality of a pallet truck, lift table, and workbench, boosting productivity in various work environments.

With a lift height of up to 800 mm, it minimizes operator strain while adapting to different tasks. Its built-in pressure relief valve provides overload protection, preventing pump damage when weight limits are exceeded. For added security, the stabilizing feet automatically lock during lifting, ensuring stable positioning. The hydraulic pump enables smooth, controlled lifting and lowering of loads up to 1000 kg.

Thanks to its lightweight, compact design, it offers effortless maneuverability, making it easy to operate in tight spaces.



HY10M


	HY10M
Load capacity [Kg]	1000
Min. Fork Height [mm]	85
Max. Fork Height [mm]	800
Fork Lenght [mm]	1150
Fork overall Width [mm]	540
Size of Load wheel [Φd-mm]	80×70
Load wheel	PU
Size of steering wheel [Φd-mm]	180×50
Steering wheel	PU

REINFORCED STRUCTURE

USER- FRIENDLY

SMOOTH MOVEMENT





MANUAL LIFTING TABLE

The LTY lifting table is designed for effortless load handling, providing smooth maneuverability and stable positioning.

The LTY range accommodates a variety of tasks with models offering lifting heights from 225 mm to 1300 mm, promoting a comfortable working posture and reducing injury risks. Its lifting pedal and lowering handle deliver intuitive and precise control, simplifying both lifting and lowering tasks.

The user-friendly design requires minimal tools for quick installation and its zero-maintenance ensures reliable and continuous use.



LTY15
LTY30
LTY35D
LT80

	LTY15	LTY30	LTY35D	LT80
Load capacity [Kg]	150	300	350	800
Lowest Height [mm]	225	280	360	1000
Max. Height [mm]	725	900	1300	1300
Table Dimension [mm]	740×450×35	815×500×50	905×500×50	1016x510
Dia. of the wheel [mm]	Φ100	Φ125	Φ125	Φ150
Type of wheels	Polyurethane	Polyurethane	Polyurethane	Polyurethane
Type of rollers	Polyurethane	Polyurethane	Polyurethane	Polyurethane
Dia. of the Roller [mm]	Φ35	Φ40	Φ40	Φ40
Scissor Type	Single Scissor	Single Scissor	Double Scissor	Single Scissor

ERGONOMIC

USER- FRIENDLY

ZERO MAINTENANCE





Distributed by

www.pramac.com | www.pramacparts.com

The product images shown are for illustration purposes only and may not be an exact representation of the product. The manufacturer reserves the right to introduce changes to models and features without prior notice. [EN_10-2026_rev.4.0]